


Positioning Cushions

Positioning cushions allow the repositioning of patients quickly and easily to relieve pressure applied on areas at risk of pressure ulcers.



Preventing Pressure Ulcers in the Trochanter Area

Pressure Ulcers in the trochanter area are frequent and dangerous. They occur mainly in patients confined to bed in supine position. Experts recommend the lateral positioning cushion at 30° to relieve pressure ulcers in trochanter and sacrum areas.

- 2 Sizes Available
- Integrated pillow for user comfort
- Easy, quick and effortless installation







Preventing Pressure Ulcers in Elbow & Heel Areas

Pressure ulcers in elbow areas are infrequent but common in heel areas, especially in bed ridden patients. Experts recommend positioning aids for hands and feet.

- A slight incline to encourage venous return
- Soft edges
- Pressure relief on achilles tendon and ankles
- Pressure relief in elbows and hands









Preventing Pressure Ulcers in Knees & Ankles

Pressure Ulcers in knees and ankle areas are very frequent in patients with muscle and tendon contractures of lower limbs. Experts recommend abduction of lower limbs to relieve pressure in knees and other bony prominences, hip and heel areas.

- Lower limbs in abduction
- Relief of pressure to knees, ankles etc
- No contact between knees







Preventing Pressure Ulcers in Sacrum, Hips & Heels

Pressure Ulcers in sacrum and hip regions occur when slumped in sitting position or in unadapted seating positions. Pressure ulcers in this region are frequent, especially in paraplegic patients. Experts recommend to position patients in Semi-Fowler position to relieve pressure in sacrum, hip and heel regions.

- Limits the risk of slipping forward which can cause tissue shearing
- Reduces the risks of falling
- Relief of pressure applied on elbows







<u>Preventing Incorrect Posture of Hips and Knees</u>

Knees Flexion

- Reduces lumbar lordosis
- Relieves facet joint pains





Hip Abductions

- After hip replacement surgery
- Limits the risk of dislocation following total hip replacement when patients turn over





Preventing Incorrect Posture of Hips and Knees

Universal Cushions T1 and T2

- Suitable for all care situations (to be used alone or with other positioning aids)
- Can be used as a general bed pillow in keeping with prevention of cross-infection risks
- Compact (takes very little space)





Key Benefits:

- Ultrasonic welding to avoid liquid penetration
- Silver (Ag+) ions to limit microorganism development
- PU-Poly-carbonate coating on nylon mesh for greater durability
- Certified Oeko-Tex class 1 for direct contact with injured skin
- Micro-beads in self-extinguishable PES to secure the use of products in bed
- Vacuum Touch concept for a good and stable re-positioning of micro-beads

PRICES AVAILABLE VIA OUR WEBSITE

ASKLE	Universal Positioning Cushion T2	56 x 40cm
ASINE (S. C.	Universal Positioning Cushion T1	37 x 26cm
ASKLE	Half-Moon Positioning Cushion	80 x 90cm
ASKLÉ	Cylindrical Positioning Cushion	21 x 60cm
Company of the second of the s	Foot Positioning Cushion	39 x 21cm
ASKLÉ (III) TERRITORIA TERR	Knee Abductor Positioning Cushion	60 x 35cm
And the state of t	Hand Positioning Cushion	26 x 60cm
ASKLÉ GES For Francischer	Hip Abduction Positioning Cushion	21 x 60cm
ASKLE	Lateral Positioning Cushion	182 x 54cm or 170 x 74cm
ASKLE	Circular Positioning Cushion	46 x 46cm

